serv-Clip® & fluid-Check

serv-Clip® & fluid-Check®





serv-Clip® Hydraulic-

pipe- measuring points + sensors



Installation on pressurized pipe serv-Clip® 1

Refit measuring points in existing hydraulic plants faster and much more cheaply.

Installation in 3 minutes no cutting pipes, ready for use

for pipes up to 630 bar (9100 psi):

- 10 65 mm
- 3/8 2 tube inch
- ¹/₄" − 3" pipe R-Zoll inch over 3"(88,9 mm) with SC-XE-607

Installation on non-pressurized pipe serv-Clip®2



Diagnostic-System *fluid-Check*® Mobile Measuring kit FM-1-B with Sensors:

- Flow rate
- Leakage
- Temperature
- Pressure
- Aqua (water content in oil) in Program soon!

Edition 2011-2012 EK-SC-FC-05-11/12



Refit measuring points in existing hydraulic plants faster and much more cheaply.

Installation in 3 minutes no cutting pipes, ready for use

for pipes up to 630 bar (9100 psi):

- 10 -65 mm
- 3/8 2 tube inch
- 1/4" 3" pipe R-Zoll inch over 3"(88,9 mm) with SC-XE-607

Diagnostic-System *fluid-Check*® Mobile Measuring kit FM-1-B with Sensors:

- Flow rate
- Leakage
- Temperature
- Pressure
- Aqua (water content in oil) in Program soon!